

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 07.02.2020

Version number 3

Revision: 07.02.2020

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: Liquid Elements Pearl Rain Car shampoo Tuning Army**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Cleaning material/ Detergent
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
AREA 52 GmbH  
Thüngenfeld 4  
D-58256 Ennepetal  
Germany  
tel. +49-(0)2333-3068945
- e-mail: [info@liquidelements.de](mailto:info@liquidelements.de)
- **Further information obtainable from:** Product safety department
- **1.4 Emergency telephone number:** tel.: +49 (0)2333-3068945 (Monday to friday: 8:00 - 17:00)

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard statements**  
H319 Causes serious eye irritation.
- **Precautionary statements**
  - P101 If medical advice is needed, have product container or label at hand.
  - P102 Keep out of reach of children.
  - P264 Wash hands thoroughly after handling.
  - P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
  - P337+P313 If eye irritation persists: Get medical advice/attention.
- **Additional information:**  
Contains 2-methylisothiazol-3(2H)-one (METHYLISOTHIAZOLINONE). May produce an allergic reaction.
- **Labelling of packages where the contents do not exceed 125 ml**
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard statements** Void

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 07.02.2020

Version number 3

Revision: 07.02.2020

**Trade name: Liquid Elements Pearl Rain Car shampoo Tuning Army**

(Contd. of page 1)

· **Precautionary statements**

- P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.

· **Additional information**

Contains 2-Methyl-2H-isothiazol-3-on (METHYLISOTHIAZOLINONE). May produce an allergic reaction.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:**

The product does not contain any PBT (PBT: persistent, bioaccumulative, toxic) substance or does not fulfil criteria for PBT according to annex XIII of regulation (EC) 1907/2006 (< 0,1 %).

· **vPvB:**

The product does not contain any vPvB (vPvB: very persistent, very bioaccumulative) substance or does not fulfil criteria for vPvB according to annex XIII of regulation (EC) 1907/2006 (< 0,1 %).

### SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** Cleansing agent

· **Dangerous components:**

CAS: 147170-44-3 EC number: 931-333-8 Reg.nr.: 01-2119489410-39	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., inner salts ⚠ Eye Dam. 1, H318 ⚠ Aquatic Chronic 3, H412	1-<5%
CAS: 68891-38-3 NLP: 500-234-8 Reg.nr.: 01-2119488639-16	Alcohols, C12-14, ethoxylated, sulfates, sodium salts ⚠ Eye Dam. 1, H318 ⚠ Skin Irrit. 2, H315 ⚠ Aquatic Chronic 3, H412	1-<5%
CAS: 56-81-5 EINECS: 200-289-5 Reg.nr.: 01-2119471987-18	glycerol	1-<2.5%
CAS: 2682-20-4 EINECS: 220-239-6 Index number: 613-326-00-9 Reg.nr.: 01-2120764690-50	2 - m e t h y l i s o t h i a z o l - 3 ( 2 H ) - o n e (METHYLISOTHIAZOLINONE) ⚠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330 ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318 ⚠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1) ⚠ Skin Sens. 1A, H317	0.00015-<0.0015%

· **Regulation (EC) No 648/2004 on detergents / Labelling for contents**

amphoteric surfactants, anionic surfactants, non-ionic surfactants	<5%
perfumes, preservation agents (PHENOXYETHANOL, BUTYLBENZISOTHIAZOLINONE, LAURYLAMINE DIPROPYLENEDIAMINE, METHYLISOTHIAZOLINONE, BENZISOTHIAZOLINONE)	

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

· **4.1 Description of first aid measures**

- **General information:** If symptoms persist consult doctor.  
· **After inhalation:** Fresh air. If pain persists, get medical attention.  
· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.

(Contd. on page 3)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 07.02.2020

Version number 3

Revision: 07.02.2020

**Trade name: Liquid Elements Pearl Rain Car shampoo Tuning Army**

(Contd. of page 2)

- **After eye contact:**  
*Immediately flush eyes with plenty of water with lids lifted. If symptoms persist, seek medical advice.*
- **After swallowing:**  
*Rinse out mouth and drink plenty of water.  
Do not induce vomiting; call for medical help immediately.*
- **4.2 Most important symptoms and effects, both acute and delayed** *No further relevant information available.*
- **4.3 Indication of any immediate medical attention and special treatment needed**  
*No further relevant information available.*

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
*CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use fire extinguishing methods suitable to surrounding conditions.*
- **For safety reasons unsuitable extinguishing agents:** *Full water jet*
- **5.2 Special hazards arising from the substance or mixture**  
*In case of fire, the following can be released:  
Carbon monoxide (CO)*
- **5.3 Advice for firefighters**
- **Protective equipment:**  
*Do not inhale explosion gases or combustion gases.  
Mouth respiratory protective device.*
- **Additional information**  
*Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.*

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
*Wear protective clothing.  
Product forms slippery surface when combined with water.*
- **6.2 Environmental precautions:**  
*Do not allow to enter sewers/ surface or ground water.  
Inform respective authorities in case of seepage into water course or sewage system.*
- **6.3 Methods and material for containment and cleaning up:**  
*Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.*
- **6.4 Reference to other sections**  
*No dangerous substances are released.  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.*

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
*Observe the usual precautionary measures for handling chemicals.  
Avoid contact with eyes.*
- **Information about fire - and explosion protection:** *The product is not flammable.*
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** *No special requirements.*
- **Information about storage in one common storage facility:** *Not required.*
- **Further information about storage conditions:**  
*Protect from frost.*

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 07.02.2020

Version number 3

Revision: 07.02.2020

**Trade name: Liquid Elements Pearl Rain Car shampoo Tuning Army**

(Contd. of page 3)

- Store in dry conditions at 10 - 25 °C.
- **Storage class:** 10 - 13 (Germany)
- **7.3 Specific end use(s)** No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Avoid contact with the eyes.  
Avoid close or long term contact with the skin.  
Wash hands before breaks and at the end of work.
- **Respiratory protection:** Not required.
- **Protection of hands:**  
Alkaline resistant gloves  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  
Protective gloves according EN 374.  
Check the permeability prior to each renewed use of the glove.
- **Material of gloves**  
Butyl rubber, BR  
Recommended thickness of the material:  $\geq 0.5$  mm  
Penetration time:  $\geq 480$  minutes (Permeation according to EN 374 Part 3: Level 6)  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.  
The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.
- **As protection from splashes gloves made of the following materials are suitable:**  
Nitrile rubber, NBR  
Recommended thickness of the material:  $\geq 0.1$  mm  
Penetration time:  $\geq 30$  minutes (Permeation according to EN 374 Part 3: Level 2)
- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing

### **SECTION 9: Physical and chemical properties**

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

<b>Form:</b>	Gel
<b>Colour:</b>	Black
<b>Odour:</b>	Characteristic

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 07.02.2020

Version number 3

Revision: 07.02.2020

Trade name: *Liquid Elements Pearl Rain Car shampoo Tuning Army*

(Contd. of page 4)

· <b>Odour threshold:</b>	<i>Not determined.</i>
· <b>pH-value at 20 °C:</b>	<i>5-8</i>
· <b>Change in condition</b> <b>Melting point/freezing point:</b>	<i>Not determined.</i>
<b>Initial boiling point and boiling range:</b>	<i>100 °C</i>
· <b>Flash point:</b>	<i>&gt; 100 °C</i>
· <b>Flammability (solid, gas):</b>	<i>Not applicable.</i>
· <b>Decomposition temperature:</b>	<i>Not determined.</i>
· <b>Auto-ignition temperature:</b>	<i>Product is not selfigniting.</i>
· <b>Explosive properties:</b>	<i>Product does not present an explosion hazard.</i>
· <b>Explosion limits:</b>	
<b>Lower:</b>	<i>Not determined.</i>
<b>Upper:</b>	<i>Not determined.</i>
· <b>Oxidising properties</b>	<i>Not applicable.</i>
· <b>Vapour pressure:</b>	<i>Not determined.</i>
· <b>Density at 20 °C:</b>	<i>~ 1.00 g/cm<sup>3</sup></i>
· <b>Relative density</b>	<i>Not determined.</i>
· <b>Vapour density</b>	<i>Not determined.</i>
· <b>Evaporation rate</b>	<i>Not determined.</i>
· <b>Solubility in / Miscibility with water:</b>	<i>Fully miscible.</i>
· <b>Partition coefficient: n-octanol/water:</b>	<i>Not determined.</i>
· <b>Viscosity:</b>	
<b>Dynamic at 20 °C:</b>	<i>&gt; 3000 mPas</i> <i>Not determined.</i>
<b>Kinematic:</b>	<i>Not determined.</i>
· <b>Solvent content:</b>	
<b>Solids content:</b>	<i>&lt; 10 %</i>
· <b>9.2 Other information</b>	<i>No further relevant information available.</i>

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** *No further relevant information available.*
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** *No decomposition if used according to specifications.*
- **10.3 Possibility of hazardous reactions** *No dangerous reactions known.*
- **10.4 Conditions to avoid** *Protect from frost.*
- **10.5 Incompatible materials:** *No further relevant information available.*
- **10.6 Hazardous decomposition products:** *No dangerous decomposition products known.*

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** *Based on available data, the classification criteria are not met.*

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 07.02.2020

Version number 3

Revision: 07.02.2020

Trade name: *Liquid Elements Pearl Rain Car shampoo Tuning Army*

(Contd. of page 5)

· **LD/LC50 values relevant for classification:****147170-44-3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., inner salts**

Oral LD50 &gt;5,000 mg/kg (rat) (OECD 401)

Dermal LD50 &gt;2,000 mg/kg (rat) (OECD 402)

**68891-38-3 Alcohols, C12-14, ethoxylated, sulfates, sodium salts**

Oral LD50 2,870 mg/kg (rat) (OECD 401)

Dermal LD50 &gt;2,000 mg/kg (rat) (OECD 402)

**56-81-5 glycerol**

Oral LD50 12,600 mg/kg (rat)

· **Primary irritant effect:**· **Skin corrosion/irritation** Based on available data, the classification criteria are not met.· **Serious eye damage/irritation**

Causes serious eye irritation.

· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.· **Repeated dose toxicity** No further relevant information available.· **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

No further relevant information available.

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.· **Carcinogenicity** Based on available data, the classification criteria are not met.· **Reproductive toxicity** Based on available data, the classification criteria are not met.· **Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

**68891-38-3 Alcohols, C12-14, ethoxylated, sulfates, sodium salts**

Ames test negative (bacterial reverse mutation assay)

· **STOT-single exposure** Based on available data, the classification criteria are not met.· **STOT-repeated exposure** Based on available data, the classification criteria are not met.· **Aspiration hazard** Based on available data, the classification criteria are not met.**SECTION 12: Ecological information**· **12.1 Toxicity**· **Aquatic toxicity:****147170-44-3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., inner salts**

EC50 &gt;1-10 mg/l (algae) (OECD 201)

LC50 &gt;1-10 mg/l (fish) (OECD 203)

**68891-38-3 Alcohols, C12-14, ethoxylated, sulfates, sodium salts**

EC50 27.7 mg/l (algae) (OECD 201)

7.4 mg/l (daphnia magna) (OECD 202)

LC50 7.1 mg/l (fish) (96 h)

NOEC 0.95 mg/l (algae) (OECD 201)

0.27 mg/l (daphnia magna) (21)

**56-81-5 glycerol**

LC50 &gt;1,000 mg/l (fish) (96 h)

· **12.2 Persistence and degradability** The contained surfactants are easily biodegradable· **12.3 Bioaccumulative potential** No further relevant information available.· **12.4 Mobility in soil** No further relevant information available.· **Additional ecological information:**· **General notes:**

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 07.02.2020

Version number 3

Revision: 07.02.2020

**Trade name: Liquid Elements Pearl Rain Car shampoo Tuning Army**

(Contd. of page 6)

of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Dispose of in accordance with all applicable local and national regulations.

- **European waste catalogue**

20 01 30	detergents other than those mentioned in 20 01 29
----------	---

15 01 02	plastic packaging
----------	-------------------

- **Uncleaned packaging:**
- **Recommendation:**  
Dispose of in accordance with all applicable local and national regulations.  
Non contaminated packagings may be recycled.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

- |   |                 |
|---|-----------------|
| · <b>14.1 UN-Number</b><br>· <b>ADR, ADN, IMDG, IATA</b>                                    | Void            |
| · <b>14.2 UN proper shipping name</b><br>· <b>ADR, ADN, IMDG, IATA</b>                      | Void            |
| · <b>14.3 Transport hazard class(es)</b><br>· <b>ADR, ADN, IMDG, IATA</b><br>· <b>Class</b> | Void            |
| · <b>14.4 Packing group</b><br>· <b>ADR, IMDG, IATA</b>                                     | Void            |
| · <b>14.5 Environmental hazards:</b><br>· <b>Marine pollutant:</b>                          | No              |
| · <b>14.6 Special precautions for user</b>  | Not applicable. |
| · <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>            | Not applicable. |
| · <b>UN "Model Regulation":</b>   | Void            |

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **National regulations:**
- **Information about limitation of use:**  
Employment restrictions concerning juveniles must be observed.

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 07.02.2020

Version number 3

Revision: 07.02.2020

**Trade name: Liquid Elements Pearl Rain Car shampoo Tuning Army**

(Contd. of page 7)

*Employment restrictions concerning pregnant and lactating women must be observed, if applicable.*

**15.2 Chemical safety assessment:**

*A Chemical Safety Assessment has not been carried out, because it is not necessary for mixtures.*

**SECTION 16: Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Liability excluded.*

**Relevant phrases**

H301 Toxic if swallowed.  
H311 Toxic in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H330 Fatal if inhaled.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.

**Classification according to Regulation (EC) No 1272/2008**

*The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.*

**Department issuing SDS:**

Chemisches Labor & Consulting - Dr. Ulrich Böinig  
Simonshöfchen 55, D-42327 Wuppertal  
Germany  
Tel.: +49-(0)202-7387557

**Contact: Mr. Boenig, PhD.**

**Abbreviations and acronyms:**

CLP: Classification, Labelling and Packaging (Regulation (EC) No. 1272/2008)  
REACH: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals.  
EC50: effective concentration, 50 percent  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
VCI: Verband der chemischen Industrie, Deutschland (German chemical industry association)  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (REACH)  
PNEC: Predicted No-Effect Concentration (REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: persistent, bioaccumulative, toxic  
vPvB: very persistent, very bioaccumulative  
Acute Tox. 3: Acute toxicity - oral – Category 3  
Acute Tox. 2: Acute toxicity - inhalation – Category 2  
Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
Skin Sens. 1A: Skin sensitisation – Category 1A  
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1  
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

**Sources**

*The safety data sheet was prepared with the help of the relevant MSDS of the raw materials, data from the ECHA databases, current literature references and the guidelines of ECHA for the preparation of safety data sheets.*

**\* Data compared to the previous version altered.**